## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
89	11	(((\$mail \$message ) with (user adj profile)) same (carlendar	USPAT;	2004/07/06 12:15
		schedule) ) and (@ad < 20000921 @rlad < 20000921)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	58905	((e electronic) adj (message mail)) email e-mail	USPAT;	2004/01/06 08:33
	30303	(te electronic) adj (message man), eman e man	US-PGPUB;	200 110 1100 00.55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9624	(((e electronic) adj (message mail)) email e-mail) same (icon image	USPAT;	2003/10/16 12:57
		graphic)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	240	((((e electronic) adj (message mail)) email e-mail) same (categor\$3	USPAT;	2003/10/16 12:54
	240	classify\$3 classificat43)) same (icon image graphic)	US-PGPUB;	2003/10/10 12:54
		Stability of classifications, same (reoff intage graphic)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15	RAGHUNANDAN.in.	USPAT;	2003/10/16 12:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	138	///// a lastronia) adi (massaga mail)) amail a mail) assag (astaga #2)	IBM_TDB	2002/10/16 12 22
-	130	(((((e electronic) adj (message mail)) email e-mail) same (categor\$3 classify\$3 classificat43)) same (icon image graphic)) and	USPAT; US-PGPUB;	2003/10/16 12:33
		(@ad < 20000921 @rlad < 20000921)	EPO; JPO;	
		(Wad \ 20000321 William \ 20000321)	DERWENT;	
			IBM TDB	
-	16	(((((e electronic) adj (message mail)) email e-mail) same (categor\$3	USPAT;	2003/10/16 12:33
		classify\$3 classificat43)) same (icon image graphic)) same (pars\$3	US-PGPUB;	
		extract\$3)	EPO; JPO;	
			DERWENT;	
	6	/////a alaatraaja\ adi /	IBM_TDB	2002/10/16 12 27
-	6	((((((e electronic) adj (message mail)) email e-mail) same (categor\$3 classify\$3 classificat43)) same (icon image graphic))	USPAT; US-PGPUB;	2003/10/16 12:37
		same (pars\$3 extract\$3)) and (@ad < 20000921	EPO; JPO;	
		@rlad < 20000921)	DERWENT;	
		<b>G</b>	IBM TDB	
-	1091	709/205	USPĀT;	2003/10/16 12:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2567	700/200	IBM_TDB	2002/62/66 : 5 5 5
-	2567	709/206	USPAT;	2003/10/16 12:36
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	69604	(image icon graphic) and (categor\$3 classify\$3 classificat\$3)	USPAT;	2003/10/16 12:57
		0 0 , , , 0 , , , , , , , , , , , , , ,	US-PGPUB;	=300, 10, 10 12.37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13832	(image icon graphic) with (categor\$3 classify\$3 classificat\$3)	USPAT;	2003/10/16 12:54
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
			IDIMI_IDR	

			T	T'
-	29	((image icon graphic) with (categor\$3 classify\$3 classificat\$3))	USPAT;	2003/10/16 12:55
		same (color near5 (message subject header) )	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	20	(((image icon graphic) with (categor\$3 classify\$3 classificat\$3))	USPAT;	2003/10/16 12:55
		same (color near5 (message subject header) )) and	US-PGPUB;	
		(@ad < 20000921 @rlad < 20000921)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8994	(((e electronic) adj (message mail)) email e-mail) same (icon image	USPAT;	2003/10/16 12:58
		symbol)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	32	((((e electronic) adj (message mail)) email e-mail) same (icon image	USPAT;	2003/10/16 12:58
		symbol)) same classify\$4	US-PGPUB;	
		, "	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20	(((((e electronic) adj (message mail)) email e-mail) same (icon	USPAT;	2003/10/16 12:58
		image symbol)) same classify\$4) and (@ad < 20000921	US-PGPUB;	
		@rlad < 20000921)	EPO; JPO; DERWENT;	
			IBM TDB	
_	379	709/207.ccls.	USPAT;	2003/12/22 16:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	62333	((e electronic) adj (message mail)) email e-mail	USPAT;	2003/12/22 16:47
	-		US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	2278	(((e electronic) adj (message mail)) email e-mail ) same analyz\$3	USPAT;	2003/12/22 17:15
			US-PGPUB;	
			EPO; JPO;	
·			DERWENT;	
	0.40		IBM_TDB	
-	848	1 , , , , , , , , , , , , , , , , ,	USPAT;	2003/12/22 16:53
		same stor\$3	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	5	(((((e electronic) adj (message mail)) email e-mail ) same analyz\$3)	USPAT;	2003/12/22 16:49
		same stor\$3) same template	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1.4	((((a plactronic) adi (massago mail)) amail a mail ) samo analyz\$2)	IBM_TDB	2002/12/22 17 16
-	14	((((e electronic) adj (message mail)) email e-mail ) same analyz\$3) same (correlation)	USPAT; US-PGPUB;	2003/12/22 17:16
		Sume (correlation)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	(((((e electronic) adj (message mail)) email e-mail ) same analyz\$3)	USPAT;	2003/12/22 17:03
		same (correlation)) and (@ad < 20000921 @rlad < 20000921)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	

	0	((((e electronic) adj (message mail)) email e-mail ) same analyz\$3)	USPAT;	2003/12/22 17:03
-		same ((generat\$3 creat\$3 construct\$3) with (reply near3 template))	US-PGPUB;	2000/12/22
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	30	((((e electronic) adj (message mail)) email e-mail ) same analyz\$3)	USPAT;	2003/12/22 17:03
		same ((generat\$3 creat\$3 construct\$3) with (reply))	US-PGPUB;	
			EPO; JPO;	
Ì			DERWENT;	
			IBM_TDB	
-	22	((((e electronic) adj (message mail)) email e-mail ) same analyz\$3)	USPAT;	2003/12/22 17:03
		same ((generat\$3 creat\$3 construct\$3) with (template))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM_TDB	2002/12/22 17:02
-	64	((((e electronic) adj (message mail)) email e-mail ) same analyz\$3)	USPAT;	2003/12/22 17:03
		same ((generat\$3 creat\$3 construct\$3) with (form format))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	10	(((((e electronic) adj (message mail)) email e-mail ) same analyz\$3)	IBM_TDB USPAT;	2003/12/22 17:04
-	18		US-PGPUB;	2003/12/22 17:04
		same ((generat\$3 creat\$3 construct\$3) with (reply))) and (@ad < 20000921 @rlad < 20000921)	EPO; JPO;	
		(@ad < 20000921 @11ad < 20000921)	DERWENT;	
			IBM TDB	
	14	(((((e electronic) adj (message mail)) email e-mail ) same analyz\$3)	USPAT;	2003/12/22 17:09
-	'~	same ((generat\$3 creat\$3 construct\$3) with (template))) and	US-PGPUB;	2005/12/22 17:05
		(@ad < 20000921 @rlad < 20000921)	EPO; JPO;	
		(@dd \20000321 @11dd \20000321)	DERWENT;	
}		,	IBM_TDB	
1.	35	(((((e electronic) adj (message mail)) email e-mail ) same analyz\$3)	USPAT;	2003/12/22 17:18
l		same ((generat\$3 creat\$3 construct\$3) with (form format))) and	US-PGPUB;	
		(@ad < 20000921 @rlad < 20000921)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13551	(((e electronic) adj (message mail)) email e-mail ) same (analyz\$3	USPAT;	2003/12/22 17:26
		determin\$3 identify\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1954	((((e electronic) adj (message mail)) email e-mail ) same (analyz\$3	USPAT;	2003/12/22 17:24
		determin\$3 identify\$3)) same (\$3relat\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2.1	((((/o plantania) adi (massaga maili) amail a mail ) sama (a-ali-eta	IBM_TDB	2002/12/22 17:24
-	21	(((((e electronic) adj (message mail)) email e-mail) same (analyz\$3	USPAT;	2003/12/22 17:24
		determin\$3 identify\$3)) same (\$3relat\$3)) same (automatic\$4	US-PGPUB; EPO; JPO;	
1		near3 (reply respon\$4))	DERWENT;	
			IBM TDB	
_	16	((((((e electronic) adj (message mail)) email e-mail ) same (analyz\$3	USPAT;	2003/12/22 17:24
	'0	determin\$3 identify\$3)) same (\$3relat\$3)) same (automatic\$4	US-PGPUB;	2005/12/22 17:24
		near3 (reply respon\$4))) and (@ad < 20000921 @rlad < 20000921)	EPO; JPO;	
		(ropi) rospont im and regard the the the	DERWENT;	
			IBM TDB	
_	222	((((e electronic) adj (message mail)) email e-mail ) same (analyz\$3	USPAT;	2003/12/22 17:24
		determin\$3 identify\$3)) same (co-relat\$3 correlat\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

				2022/42/22 47 5-
-	4	(((((e electronic) adj (message mail)) email e-mail ) same (analyz\$3	USPAT;	2003/12/22 17:27
		determin\$3 identify\$3)) same (co-relat\$3 correlat\$3)) same	US-PGPUB;	
		(automatic\$4 near3 (reply respon\$4))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2002/10/20 17 21
-	3	((((((e electronic) adj (message mail)) email e-mail ) same (analyz\$3	USPAT;	2003/12/22 17:24
		determin\$3 identify\$3)) same (co-relat\$3 correlat\$3)) same	US-PGPUB;	
	٠	(automatic\$4 near3 (reply respon\$4))) and (@ad < 20000921	EPO; JPO;	
[		@rlad < 20000921)	DERWENT;	
		was to the state of the state o	IBM_TDB	2002/12/22 17 27
-	89	(((e electronic) adj (message mail)) email e-mail) same ((analyz\$3	USPAT;	2003/12/22 17:27
		determin\$3 identify\$3) with (co-relat\$3 correlat\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	:		IBM_TDB	0000/40/00 47 00
-	7	((((e electronic) adj (message mail)) email e-mail)) same ((analyz\$3	USPAT;	2003/12/22 17:28
		determin\$3 identify\$3) with (co-relat\$3 correlat\$3))) same	US-PGPUB;	
		((prepar\$3 generat\$3 creat\$3 construct) with (template form	EPO; JPO;	
		format reply respon\$4))	DERWENT;	
			IBM_TDB	2002/12/22 14 02
-	62390	((e electronic) adj (message mail)) email e-mail	USPAT;	2003/12/23 14:03
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	!	<b>-</b>	IBM_TDB	2002/12/22 12 13
-	100271	stor\$3 with (inbox database)	USPAT;	2003/12/23 13:13
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	100220		IBM_TDB	2002/12/22 12:12
-	100328	11with (stor\$3 with (inbox database))	USPAT; US-PGPUB;	2003/12/23 13:13
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	2595	(((e electronic) adj (message mail)) email e-mail ) with (stor\$3 with	USPAT;	2003/12/23 13:14
-	2393	((inbox database))	US-PGPUB;	2003/12/23 13:14
		(IIIDOX database))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	129183	(analyz\$3 identify\$3 check\$3) with (\$4relat\$3 relat\$3)	USPAT;	2003/12/23 13:30
	123103	(unaryzas rocharyas cheekas) with (a netatas relatas)	US-PGPUB;	2003/12/23 13130
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	14	((((e electronic) adj (message mail)) email e-mail ) with (stor\$3	USPAT;	2003/12/23 13:32
		with (inbox database))) same ((analyz\$3 identify\$3 check\$3) with	US-PGPUB;	
		(\$4relat\$3 relat\$3))	EPO; JPO;	
		· · · · · · · · · · · · · · · · · · ·	DERWENT;	
			IBM TDB	
-	4	(((((e electronic) adj (message mail)) email e-mail ) with (stor\$3	USPĀT;	2003/12/23 13:34
		with (inbox database))) same ((analyz\$3 identify\$3 check\$3) with	US-PGPUB;	
		(\$4relat\$3 relat\$3))) and (@ad < 20000921 @rlad < 20000921)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	395	((((e electronic) adj (message mail)) email e-mail ) with (stor\$3	USPĀT;	2003/12/23 13:32
		with (inbox database))) and ((analyz\$3 identify\$3 check\$3) with	US-PGPUB;	
		(\$4relat\$3 relat\$3))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

			Lucate	0000/40/00 12 22
-	346	(((((e electronic) adj (message mail)) email e-mail) with (stor\$3	USPAT;	2003/12/23 13:33
		with (inbox database))) and ((analyz\$3 identify\$3 check\$3) with	US-PGPUB;	
		(\$4relat\$3 relat\$3))) and (replay respon\$4)	EPO; JPO;	
:			DERWENT; IBM TDB	
	350	//// 1	USPAT;	2003/12/23 13:33
-	352	(((((e electronic) adj (message mail)) email e-mail ) with (stor\$3	US-PGPUB;	2003/12/23 13:33
		with (inbox database))) and ((analyz\$3 identify\$3 check\$3) with	EPO; JPO;	
		(\$4relat\$3 relat\$3))) and (reply respon\$4)	DERWENT;	
			IBM TDB	
	142	(((((e electronic) adj (message mail)) email e-mail ) with (stor\$3	USPAT;	2003/12/23 13:34
_	142	with (inbox database))) and ((analyz\$3 identify\$3 check\$3) with	US-PGPUB;	
		(\$4relat\$3 relat\$3))) and ((reply respon\$4) with (template form	EPO; JPO;	
		format))	DERWENT;	
		Torriday)	IBM TDB	
_	86	((((((e electronic) adj (message mail)) email e-mail ) with (stor\$3	USPĀT;	2003/12/23 13:59
		with (inbox database))) and ((analyz\$3 identify\$3 check\$3) with	US-PGPUB;	
		(\$4relat\$3 relat\$3))) and ((reply respon\$4) with (template form	EPO; JPO;	
		format))) and (@ad < 20000921 @rlad < 20000921)	DERWENT;	
			IBM_TDB	
-	239	(correlat\$3 co-relat\$3 relative) near5 ((e electronic) adj mail)	USPAT;	2003/12/23 13:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2002/12/22 12 11
-	7715	generat\$3 near3 template	USPAT;	2003/12/23 13:41
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	0	((correlat\$3 co-relat\$3 relative) near5 ((e electronic) adj mail) )	USPAT;	2003/12/23 13:41
-	0	same (generat\$3 near3 template)	US-PGPUB;	2003/12/23 13111
		Same (generates nears template)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	11983	(creat\$3 generat\$3) near3 template	USPAT;	2003/12/23 13:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	0000/40/00 10 10
-	0	((correlat\$3 co-relat\$3 relative) near5 ((e electronic) adj mail) )	USPAT;	2003/12/23 13:42
	1	same ((creat\$3 generat\$3) near3 template)	US-PGPUB;	
			EPO; JPO; DERWENT;	
1			IBM TDB	
	135419	(creat\$3 generat\$3) near3 (reply response)	USPAT;	2003/12/23 13:42
1	133419	(creating Benerating) treats (tehts teshonse)	US-PGPUB;	2003, 12,23 13.72
			EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
-	3	((correlat\$3 co-relat\$3 relative) near5 ((e electronic) adj mail) )	USPAT;	2003/12/23 13:56
		same ((creat\$3 generat\$3) near3 (reply response))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	55	reply near3 template	USPAT;	2003/12/23 13:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	

			LICDAT	2003/12/23 13:57
-	18	((creat\$3 generat\$3) near3 template) same (reply near3 template)	USPAT;	2003/12/23 13:5/
			US-PGPUB; EPO; JPO;	
	1 .		DERWENT;	
			IBM TDB	
	ا ما	(((creat\$3 generat\$3) near3 template) same (reply near3 template))	USPAT;	2004/01/05 17:38
-	9	and (@ad < 20000921 @rlad < 20000921)	US-PGPUB;	200 1/0 1/05 1/100
		and (wad < 20000921 whad < 20000921)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	239	(((e electronic) adj (message mail)) email e-mail) with ((correlat\$3	USPAT;	2003/12/23 14:03
-	255	co-relat\$3 relative) near5 ((e electronic) adj mail) )	US-PGPUB;	
		Co relative, realis (to discussion, as) many	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	(reply near3 template) same ((((e electronic) adj (message mail))	USPĀT;	2003/12/23 14:04
		email e-mail ) with ((correlat\$3 co-relat\$3 relative) near5 ((e	US-PGPUB;	,
		electronic) adj mail) ))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2	(reply near3 template) and ((((e electronic) adj (message mail))	USPAT;	2003/12/23 14:05
		email e-mail) with ((correlat\$3 co-relat\$3 relative) near5 ((e	US-PGPUB;	
		electronic) adj mail) ))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	26550	(pars\$3 extract\$3) near5 (header atttachment subject body)	USPAT;	2003/12/23 14:06
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	264	(((e electronic) adj (message mail)) email e-mail ) with ((pars\$3	USPAT;	2003/12/23 14:06
		extract\$3) near5 (header atttachment subject body))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/10/00 1107
-	1	(reply near3 template) and ((((e electronic) adj (message mail))	USPAT;	2003/12/23 14:07
İ		email e-mail) with ((pars\$3 extract\$3) near5 (header atttachment	US-PGPUB;	
		subject body)))	EPO; JPO;	,
			DERWENT;	1
			IBM_TDB	2004/01/05 17:37
-	329982	\$mail \$message	USPAT;	2004/01/05 17:57
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
	040	//ranky racpages) near3 template)	USPAT;	2004/01/05 16:37
-	940	((reply response) near3 template)	US-PGPUB;	200-7/01/03 10:3/
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	113	(\$mail \$message) same (((reply response) near3 template))	USPAT;	2004/01/05 16:36
_	113	(winds winessage) same ((hepr) response) nears template))	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	290605	classif\$ categoriz\$	USPAT;	2004/01/05 16:37
	230003		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

	6602	(\$mail \$message) same (classif\$ categoriz\$)	USPAT;	2004/01/05 16:39
	0002	(man principally)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<u>-</u>	4349073	(AI (artific\$ adj intelligen\$) (expert adj system) ES)	USPĀT;	2004/01/05 16:39
	1515075	(A (artifice de) mesingenty (and artifice)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	46850	(\$mail \$message) same ((Al (artific\$ adj intelligen\$) (expert adj	USPAT;	2004/01/05 16:40
_	40030	system) ES))	US-PGPUB;	
		System (23)	EPO; JPO;	
		T.	DERWENT;	
			IBM TDB	
	13	((\$mail \$message) same (((reply response) near3 template))) and	USPAT;	2004/01/05 17:32
-	13	((\$mail \$message) same (classif\$ categoriz\$)) and ((\$mail	US-PGPUB;	200 "0 "0 "0
		\$message) same ((Al (artific\$ adj intelligen\$) (expert adj system)	EPO; JPO;	
			DERWENT;	
		ES)))	IBM TDB	
	-	(((\$mail \$message) same (((reply response) near3 template))) and	USPAT;	2004/01/05 16:40
-	5	(((\$mail \$message) same (((reply response) hears template))) and ((\$mail \$message) same (classif\$ categoriz\$)) and ((\$mail	US-PGPUB;	230 1/01/03 10.40
		((amail pinessage) same (classifa categoriza)) and ((amail charge)) same ((AL (artifice additional) (amail additional) (amail additional)	EPO; JPO;	
		\$message) same ((AI (artific\$ adj intelligen\$) (expert adj system)	DERWENT,	
		ES)))) and (@ad < 20000921 @rlad < 20000921)	IBM TDB	
		// the indicate (read and a second many) and	USPAT;	2004/01/05 17:33
-	13	((\$mail \$message) same (((reply response) near3 template))) and	US-PGPUB;	2004/01/03 17.33
		((\$mail \$message) same (classif\$ categoriz\$)) and ((\$mail		
	1	\$message) same ((Al (artific\$ adj intelligen\$) (expert adj system)	EPO; JPO; DERWENT;	
		ES)))		
			IBM_TDB	2004/01/05 17:33
-	10892	defin\$3 near3 (text string keyword phras)	USPAT;	2004/01/03 17.33
			US-PGPUB;	
ļ.			EPO; JPO;	
			DERWENT;	
		/// !	IBM_TDB USPAT;	2004/01/05 17:34
-	3	(((\$mail \$message) same (((reply response) near3 template))) and	US-PGPUB;	2004/01/03 17:34
		((\$mail \$message) same (classif\$ categoriz\$)) and ((\$mail	EPO; JPO;	
		\$message) same ((Al (artific\$ adj intelligen\$) (expert adj system)	DERWENT;	
		ES))) ) and archiv\$3	IBM TDB	
		(((Amosil Amossogo) some (((ronly response) near) templeta))) and	USPAT;	2004/01/05 17:36
-	1	(((\$mail \$message) same (((reply response) near3 template))) and	US-PGPUB;	200-101/03 17.30
		((\$mail \$message) same (classif\$ categoriz\$)) and ((\$mail \$message) same ((Al (artific\$ adj intelligen\$) (expert adj system)	EPO; JPO;	
			DERWENT;	
1		ES))) ) and (defin\$3 near3 (text string keyword phras))	IBM TDB	
	20107	archiv\$2	USPAT;	2004/01/05 17:37
-	29107	archiv\$3	US-PGPUB;	200-701/05 17.57
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	220002	Carall Caracago	USPAT;	2004/01/06 08:35
-	329982	\$mail \$message	US-PGPUB;	2007/01/00 00:33
			EPO; JPO;	
			DERWENT;	
		his \$22 (\$il \$	IBM_TDB	2004/01/05 17:27
-	575	archiv\$3 near3 (\$mail \$message )	USPAT;	2004/01/05 17:37
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	131	archiv\$3 adj (\$mail \$message )	USPAT;	2004/01/05 17:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	(((\$mail \$message) same (((reply response) near3 template))) and	USPAT;	2004/01/05 17:38
-		((\$mail \$message) same (classif\$ categoriz\$)) and ((\$mail	US-PGPUB;	
		\$message) same ((Al (artific\$ adj intelligen\$) (expert adj system)	EPO; JPO;	
		\$message) same ((Ar (artific\$ adj intelligen\$) (expert adj system)		
		ES))) ) and ((archiv\$3 adj (\$mail \$message )) and (@ad < 20000921	DERWENT;	
		@rlad < 20000921))	IBM_TDB	
-	2	(defin\$3 near3 (text string keyword phras)) and ((archiv\$3 adj	USPAT;	2004/01/05 17:38
·		(\$mail \$message )) and (@ad < 20000921 @rlad < 20000921))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	81	(archiv\$3 adj (\$mail \$message )) and (@ad<20000921	USPĀT;	2004/01/06 08:39
	"	@rlad < 20000921)	US-PGPUB;	200 ,, 0 ,, 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		@nau < 20000921)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15	(("6424997") or ("6609138") or ("5930471") or ("6278996") or	USPAT;	2004/01/06 08:34
		("6343311") or ("6356633") or ("6542923")).PN.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	0	((("6424997") or ("6609138") or ("5930471") or ("6278996") or	USPAT;	2004/01/06 08:35
-	U			2004/01/00 00.55
		("6343311") or ("6356633") or ("6542923")).PN.) and profile	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	330294	\$mail \$message	USPAT;	2004/01/06 08:35
			US-PGPUB;	
			EPO; JPO;	
İ			DERWENT;	
			IBM TDB	
	8514	3with (user adj profile)	USPAT;	2004/01/06 08:36
-	6514	Swith (user au) prome)	US-PGPUB;	200-701700 00.50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	968	(\$mail \$message ) with (user adj profile)	USPAT;	2004/01/06 08:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
1_	0	((("6424997") or ("6609138") or ("5930471") or ("6278996") or	USPAT;	2004/01/06 08:37
		(("6343311") or ("6356633") or ("6542923")).PN.) same (carlendar	US-PGPUB;	
		schedule)	EPO; JPO;	
		Schedule)		
1			DERWENT;	
1			IBM_TDB	
-	23	((\$mail \$message ) with (user adj profile)) same (carlendar	USPAT;	2004/01/06 08:42
1		schedule)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	9	(((\$mail \$message ) with (user adj profile)) same (carlendar	USPAT;	2004/07/06 12:14
	1	schedule)) and (@ad < 20000921 @rlad < 20000921)	US-PGPUB;	
		3CHCGalc,   and (Wad \ 20000321 What \ 20000321)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	<u> </u>

				1- 1- 2- 2- 2- 2- 2- 2- 2- 2- 2- 2- 2- 2- 2-
-	30	outlook near3 server	USPAT;	2004/01/06 09:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	13	(outlook near3 server) and (@ad < 20000921 @rlad < 20000921)	USPĀT;	2004/07/06 10:09
~	13	(Outlook flears server) and (wad < 20000321 what < 20000321)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/04/06 00:00
-	9	(outlook near3 server) and palm	USPAT;	2004/01/06 09:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1_	6	((outlook near3 server) and palm) and (@ad < 20000921	USPĀT;	2004/07/06 10:07
'		@rlad < 20000921)	US-PGPUB;	
		@11ad < 20000321)	EPO; JPO;	
	·		DERWENT;	
	!		IBM_TDB	2004/07/06 10:05
-	19	(outlook near3 server) and (pda pch mobile cellular palm portable	USPAT;	2004/07/06 10:05
		pim)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1_	9	((outlook near3 server) and (pda pch mobile cellular palm portable	USPAT;	2004/07/06 10:00
		pim)) and (@ad < 20000921 @rlad < 20000921)	US-PGPUB;	
		pinii) and (@dd \20000321 @indd \20000321)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/01/06 10:00
-	2	6424997.pn.	USPAT;	2004/01/06 10:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	"20020129275"	USPAT;	2004/01/08 12:34
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	0	715 cols	USPAT;	2004/01/08 12:35
-	0	715.ccls.	US-PGPUB;	2004/01/00 12.55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	715/47.ccls.	USPAT;	2004/01/08 12:37
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	105	725/47.ccls.	USPAT;	2004/01/08 12:37
	103	7.25/17.0015	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/07/05 : 5 5 5
-	14	((outlook near3 server) and (pda pch mobile cellular palm portable	USPAT;	2004/07/06 10:02
		pim)) and (@ad < 20000921 @rlad < 20000921)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	<del></del>	L		

[-	11	((outlook near3 server) and palm) and (@ad < 20000921	USPAT;	2004/07/06 10:08
	, ,	@rlad < 20000921)	US-PGPUB;	
		g	EPO; JPO;	
ļ			DERWENT;	
			IBM_TDB	
_	3128	((709/205-207) or (725/47)).CCLS.	USPAT;	2004/07/06 10:08
			US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	1754	(((709/205-207) or (725/47)).CCLS.) and (@ad < 20000921	USPAT;	2004/07/06 10:09
		@rlad < 20000921)	US-PGPUB;	
			EPO; JPO;	
-			DERWENT;	ļ
			IBM_TDB	
_	255	((((709/205-207) or (725/47)).CCLS.) and (@ad < 20000921	USPAT;	2004/07/06 10:10
		@rlad < 20000921)) and (@pd > 20031016)	US-PGPUB;	ļ
			EPO; JPO;	
			DERWENT;	
			IBM TDB	